LAZY DAZE

MOTORHOMES

S = Standard Equipment O = Optional Equipment = Not Available CHASSIS FEATURES	23½'REAR LOUNGE	231/3' TWIN-KING BED	23½ FRONT DINETTE	231% FRONT LOUNGE	26½' REAR KITCHEN	26½' MID BATH	26½' REAR BATH	26½'ISLAND BED	30' ISLAND BED
Ford E-450 super duty chassis with 158" wheel base and 4.56 ratio wider rear axle.	S	S	S	S					
Ford E-450 super duty chassis with 176" wheel base and 4.56 ratio wider rear axle.					S	s	S	S	
Ford E-450 super duty chassis with 211" wheel base and 4.56 ratio wider rear axle.									S
305 horse power, fuel injected V-10 engine with upgraded 4R100 electronic 4 speed overdrive transmission.	s	s	s	s	s	S	s	S	s
4 wheel disc brakes with ABS (anti-lock braking system).	S	S	S	S	S	S	S	S	S
Steel belted radial tires with stainless steel wheel covers and full sized spare tire.	S	S	S	S	S	S	S	S	S
Single 55 gallon gasoline tank.	S	S	S	S	S	S	S	S	S
130 amp heavy-duty alternator.	S	S	S	S	S	S	S	S	S
Lazy Daze designed integrated running boards and front fender flares.	S	S	S	S	S	S	S	S	S
Low profile mirrors that can fold in backward or forward.	S	S	S	S	S	S	S	S	S
Tow package with a choice of 2" receiver hitch or trailer ball hitch.	S	S	S	S	S	S	S	S	S
Windshield boot that covers the outside three front cab windows for improved insulation and dash board sun protection.	S	s	s	s	s	S	S	S	s
Trip odometer, all gauges, intermittent windshield wipers, tilt steering wheel and cruise control.	S	S	S	S	S	S	S	S	S
Power tinted windows and power door locks.	S	S	S	S	S	S	S	S	S
High output factory installed dash air conditioning (Not after market).	S	S	S	S	S	S	S	S	S
High back driver and passenger reclining seats with matching interior upholstery and lumbar adjustments, dual air bags, and automatic seatbelt tensioners.	s	s	s	s	s	s	s	s	s
Six way power drivers seat.	S	S	S	S	S	S	S	S	S
Beverage holders for driver and front passenger.	S	S	S	S	S	S	S	S	S
Insulated and carpeted cab floor and engine cover for reduced heat and noise.	S	S	S	S	S	S	S	S	S
AM, FM, stereo in-dash single C.D. with infrared multi-function remote control (no cassette).	S	S	S	S	S	S	S	S	S
AM, FM, stereo in-dash cassette, and remote mounted 10 disc C.D. changer with infrared multi- function remote control.	0	0	0	0	0	0	0	0	0
40 channel C.B. with roof mounted antenna.	0	0	0	0	0	0	0	0	0
Hardwood dashboard trim.	0	0	0	0	0	0	0	0	0
Faux leather cab seats.	0	0	0	0	0	0	0	0	0
Bilstein high performance gas shock absorbers.	0	0	0	0	0	0	0	0	0
7.3 L Power Stroke turbo diesel engine.					0	0	0	0	
INTERIOR COACH FEATURES									
Molded kitchen counter top with raised edges and attractive granite finish.	S	S	S	S	S	S	S	S	S
Matching molded kitchen counter top drop leaf extension.	S	S	S	S		S	S		S
Easy maintenance acrylic double kitchen sink with formica over-laid sink cover.	S	S	S	S	S	S	S	S	S
Single handle kitchen faucet with pull out spout and adjustable spray.	S	S	S	S	S	S	S	S	S
Built in pantry with adjustable shelves.					S	S	S	S	S
Built in coffee maker.									S
High quality decorative linoleum flooring in kitchen areas.	S	S	S	S	S	S	S	S	S
High output microwave with touch pad controls, turntable, and easy access height.	S	S	S	S	S	S	S	S	S
Power exhaust range hood that contains a full systems monitor panel read out for sewage tank, gray tank, fresh water tank, LP gas tank, house batteries condition, as well as the water pump switch, water heater switch, generator start/stop switch and hour meter.	s	s	s	s	s	S	s	S	s
Three-burner range with piezo direct ignition igniter, high output burner, bi-fold stove cover and an oven.	S	s	s	s	s	S	s	s	s

INTERIOR COACH FEATURES CONTINUED	23%'REAR LOUNGE	23½' TWIN-KING BED	23½' FRONT DINETTE	23½' FRONT LOUNGE	26%' REAR KITCHEN	26½' MID BATH	26½' REAR BATH	26½'ISLAND BED	30' ISLAND BED
Electronic ignition water heater with convenient "in operation" indicator light located on the systems monitor panel.	s	s	s	s	s	s	s	s	s
20,000 BTU wall furnace with electronic ignition, low amp draw motor and heat ducts.	S	S	S	S	S	S	S	S	
30,000 BTU wall furnace with electronic ignition and multiple heat ducts.									S
Dometic 6' two-door refrigerator with adjustable thermostat and automatic switch over gas/electric operation.	s	s	s	s	s	S	s	s	
Dometic 8' two-door refrigerator with adjustable thermostat, ice maker and automatic switch over gas/electric operation. The ice maker can be deleted for credit, if desired.									S
Shower, bath area includes: Large mirror, medicine cabinet, isolated dressing room, one piece molded shower stall and hand wash basin.	S	S	S	S	S	S	S	S	S
Single handle wash basin faucet.			S	S	S	S	S	S	S
Residential size porcelain toilet with convenient basin hand spray rinse attachment.	S	S	S	S	S	S	S	S	S
Decorative linoleum flooring in bathroom area.	S	S	S	S	S	S	S	S	S
Quieter "Whisper King" 12V water pump.	S	S	S	S	S	S	S	S	S
High output 12V variable speed, reverse direction Fan-tastic ceiling fan with thermostat control.	S	S	S	S	S	S	S	S	S
Numerous incandescent lights, and up to seven twin tube recessed fluorescent lights.	S	S	S	S	S	S	S	S	S
45 amp electronic solid state converter with high output house battery charger.	S	S	S	S	S	S	S	S	S
Many high quality drawers mounted on ball bearing guides (up to 11).	S	S	S	S	S	S	S	S	S
Real wood interior cabinetry with new California maple finish. Not pressed wood.	S	S	S	S	S	S	S	S	S
Pleated night shades with valance surround.	S	S	S	S	S	S	S	S	S
Sofa cushions and permanent mattress beds constructed with multi-density, high quality foam wrapped in Dacron.	s	S	S	s	s	S	S	S	S
Choice of interior color schemes in teal, brown or blue.	S	S	S	S	S	S	S	S	S
Cab-over mattress folds over and out of the way for easy access to the front cab seats. A ladder is included for easy access to the cab-over bed.	s	s	s	s	s	S	s	s	
High density low profile carpet with padding in main living areas.	S	S	S	S	S	S	S	S	S
Entertainment center built in to the cab-over area above the passenger/driver seats, which includes: large inside storage compartments and a 20" TV/VCR. This design still allows you to enter in an up-right position and sit down on either of the front cab seats.			0	0	0		ο	0	S
Single pedestal game table that stores in wardrobe. Table size 21" X 36".					0	0	0		
Telephone jack.	S	S	S	S	S	S	S	S	S
12 volt outlet	S	S	S	S	S	S	S	S	S
TV stand, with 120 volt and 12 volt TV antenna outlets furnished for your TV.	S	S	S	S					
Built-in 12 volt 13" TV/VCR with infrared remote control.					S	S	S	S	
Built-in 20" TV/VCR with infrared remote control.									S
13,500 B.T.U. low profile refrigerated roof air.	S	S	S	S	S	S	S	S	
Heavy duty 15,000 B.T.U. refrigerated roof air.					0	0	0	0	S
Integrated heat strip (electric heater) in roof air conditioner.	S	S	S	S	S	S	S	S	S
Additional safety features include: Smoke alarm, propane gas detector, carbon monoxide alarm, fire extinguisher, up to 8 emergency exits and flame retardant interiors.	s	s	s	s	s	S	s	s	s
EXTERIOR COACH FEATURES									
Smooth exterior aircraft aluminum coach body panels that are lighter weight and replaceable. Aluminum is non-flammable, unlike fiberglass, and offers superior appearance, and outstanding endurance. A Lazy Daze exclusive.	s	S	s	S	s	s	S	s	s
One piece painted aluminum roof that is U.V. resistant unlike rubber or non-painted fiberglass.	S	S	S	S	S	S	S	S	S
Coach exterior is painted with durable, easy to maintain polyurethane (Imron type) painted. It is not	s	s	s	s	s	s	s	s	s
	i.		S	S	S	S	S	S	S
prone to yellowing or chalking as is unpainted fiberglass, which is commonly used in the industry.	S	S	0						
prone to yellowing or chalking as is unpainted fiberglass, which is commonly used in the industry. Choice of exterior accent colors in two-tone teal, brown, blue, red or silver. Streamline one-piece molded nose cone with no real front windows for improved aerodynamics,	S S	S S	s	S	s	s	s	S	s
prone to yellowing or chalking as is unpainted fiberglass, which is commonly used in the industry. Choice of exterior accent colors in two-tone teal, brown, blue, red or silver. Streamline one-piece molded nose cone with no real front windows for improved aerodynamics, insulation, appearance and reliability.	s	s	s	s			s	s	_
prone to yellowing or chalking as is unpainted fiberglass, which is commonly used in the industry. Choice of exterior accent colors in two-tone teal, brown, blue, red or silver. Streamline one-piece molded nose cone with no real front windows for improved aerodynamics,					S S S	S S S			S S S

EXTERIOR COACH FEATURES CONTINUED	23½'REAR LOUNGE	23½' TWIN-KING BED	23½' FRONT DINETTE	23½' FRONT LOUNGE	26½' REAR KITCHEN	26½' MID BATH	26½' REAR BATH	26½'ISLAND BED	30' ISLAND BED
Hinged skirts that partially covers the rear dual wheels for improved aerodynamics and easy access to the tires. A Lazy Daze exclusive.	s	S	S	S	S	S	S	S	s
Attractive molded spare tire cover that is integrated into the rear coach wall. The spare tire is not stored behind this cover on all models.	s	s	s	s	s	s	s	s	s
Entire coach body floor, walls and ceiling contain 2½" insulation.	s	s	s	S	S	s	S	S	S
25 foot 30 amp exterior power cord that detaches from motorhome body for added convenience.	S	S	S	S	S	S	S	S	S
Onan 4KW microquiet gasoline generator.	S	S	S	S	S	S	S	S	S
Quality coach entry door with radius top corners, dead bolt, screen door, window and roller	3	3	3	3	3	3	3	3	3
shade.	S	S	S	S	S	S	S	S	S
Interior entry step light and exterior amber porch light.	S	S	S	S	S	S	S	S	S
Numerous large thermal pane (approx. ¹ / ₄ inch space between panes) tinted safety glass windows for superior insulation, privacy, anti-glare and an excellent outdoor view.	s	S	S	S	S	S	S	S	s
Fender wells and underbelly pan are covered with galvanized steel.	S	S	S	S	S	S	S	S	S
Large radius corner outside lockable compartments for: Folding chairs, B.B.Q., leveling blocks, fishing poles, golf clubs, etc. The 261/2' Island Bed and 30' Island bed can also accommodate skis within the 8' long rear exterior accessible compartment.	s	S	S	s	S	s	S	s	s
City water exterior hook up with brass pressure regulator.	S	S	S	S	S	S	S	S	S
Convenient separate storage compartment for supplied 15' sewage hose.	S	S	S	S	S	S	S	S	S
Roof rack and ladder.	S	S	S	S	S	S	S	S	S
Sleek aerodynamic awning. Fabric and legs are hidden within an aluminum housing, when closed, for maximum longevity. One person from the ground can easily operate awning.	S	S	S	s	s	s	s	s	s
Three-battery system. One 12V chassis battery separated, with a solid state isolator, from two 6V-coach batteries (wired in series to produce 12 volts) for maximum performance and longevity.	s	s	s	s	s	s	s	s	s
Separate molded plastic exterior coach battery compartment for low maintenance and slide out battery tray for easy battery service.	s	S	S	S	S	S	S	S	s
Amplified Winegard TV antenna with booster and outside cable hook-up.	S	S	S	S	S	S	S	S	S
Moon roof hatch. A large screened opening vent above the cab-over bed, for improved ventilation, easy entry to the roof and furnishes another safety escape exit for those sleeping in the cab-over bed. This hatch is deleted when the entertainment center is installed.	s	s	s	s	S	s	s	s	
Solar panel with digital read out charge controller.	0	0	0	0	0	0	0	0	S
Manual or automatic search digital satellite antenna.	0	0	0	0	0	0	0	0	0
Electric step.	0	0	0	0	0	0	0	0	S
Outside shower.	0	0	0	0	0	0	0	0	S
Polyurethane insulation on holding tanks.	0	0	0	0	0	0	0	0	0
Rotary house battery disconnect switch.	0	0	0	0	0	0	0	0	0
COACH SPECIFICATIONS LIQUIDS CAPACITIES (GALLONS)									
Approximate total fresh water.	50	50	60	60	60	58	60	50	60
Approximate gray water storage.	24	24	32	32	35	35	35	35	35
Approximate sewage storage.	24	24	28	28	30	28	24	28	30
Electronic ignition water heater. Propane tank (rated tank capacity).	6 10	6 10	6 10	6 10	6 17	6 17	6 17	6 17	6 17
	10	10	10	10	17	17	17	17	
COACH DIMENSIONS (INCHES)									
Approximate exterior coach height ground to roofline (add 11" for 120V air on 23½', & 26½' and 13" to 30' roof height).	110	110	110	110	110	110	110	110	110
Exterior coach width (add 12" to the outside for both side fold-in mirrors).	99	99	99	99	99	99	99	99	99
Bumper to bumper coach length. Add 2" for the rear exterior spare tire cover.	281	281	281	281	319	319	319	319	368
Interior height from floor to ceiling (excluding carpet).	79	79	79	79	79	79	79	79	79
Cab-over mattress dimensions.	58X80	58X80	58X80	58X80	58X80	58X80	58X80	58X80	

COACH SPECIFICATIONS COACH DIMENSIONS (INCHES)	23½'REAR LOUNGE	23½' TWIN-KING BED	23½' FRONT DINETTE	23½' FRONT LOUNGE	26%' REAR KITCHEN	26½' MID BATH	26½' REAR BATH	26½'ISLAND BED	30' ISLAND BED
All Dinettes can furnish an eating area for up to 4. The following dinettes can also make into a compact bed.			27.7X70.7		39X67.5	29X6E	39X72.5		
Individual twin bed sizes for models when equipped with twin sofas. The twin sofas can be brought completely together, to create an oversize king bed. D = Drivers side. P= Passenger side.		D32 X 71 P36 X 74			D34X 76 P32X 72	D32 X 71 P36X 76	D34 X 76 P32 X 72		
Sofa double bed sizes.	54X74		50X73	54X73	54X76	54X76	54X76		54X76
Permanent bed size, 26 ¹ / ₂ ' and 30' Island Bed models.								57X77	57X78
Total wardrobe hanging space width.	30½	30½	33	33	45	38	40	44	44
COACH MISCELLANEOUS SPECIFICATIONS									
Total interior recessed fluorescent light fixtures in each floor plan.	4	4	4	4	5	5	5	5	7
Total number of interior incandescent light fixtures in each floor plan.	6	6	6	6	7	6	7	9	6
Total number drawers.	7	7	8	7	8	7	7	8	11
Number of 120V duplex receptacles (including exterior).	5	5	5	5	5	7	5	6	6
Number of roof vents (include escape hatch above cab-over).	3	3	3	3	4	4	4	4	5
Total outside storage compartments. Delete one compartment on the 26½' Rear Kitchen. 26½' Mid-Bath, and 26½' Rear Bath when equipped with barrel chairs.	1	2	2	2	5	6	5	4	7
Triple battery system, including two 6V golf cart batteries in series for coach that produces 12V. Both house batteries together offer the following amp hours, as compared to the industries basic one 12V coach 85-amp battery.	220	220	220	220	220	220	220	220	220
COACH WEIGHTS									
WITH FORD V-10									
G.V.W.R. (Gross Vehicle Weight Rating). Maximum designed motorhome weight when "Fully Loaded".	14,050	14,050	14,050	14,050	14,050	14,050	14,050	14,050	14,050
E.W. (Empty Weight of Motorhome). No fuels, liquids, supplies or people. (Includes all standard equipment such as generator, etc.) Weights are estimated on some models.	9,785	9,790	9,765	9,780	10,660	10,715	10,650	10,600	11,790
U.V.W. – (Unloaded Vehicle Weight). The weight of the motorhome as built at the factory with full fuel, oil, and coolant. Weights are estimated on some models.	10,115	10,120	10,095	10,110	10,990	11,045	10,980	10,930	12,120
W.W.V. – (Wet Weight of Vehicle) No Passengers or supplies. Gas tank, fresh water tank, and LP-Gas tank all full. Weights are estimated on some models.	10,565	10,570	10,629	10,644	11,549	11,587	11,539	11,405	12,679
Total number of designated sleeping positions. Delete two sleeping positions when equipped with the optional entertainment center.	4	4	5	4	9	9	9	4	4
S.C.W.R. – (Sleeping Capacity Weight Rating) The number of sleeping positions designated for each specified floor plan model multiplied by 154 lbs. per person.	616	616	022	616	924	924	924	616	616
C.C.C. – (Cargo Carrying Capacity) Allowable weight available for food, personal items and supplies. Gas tank, fresh water tank and LP-Gas tank are all full. All sleeping positions occupied. NOTE: Installed accessories and towed vehicle tongue weight will reduce C.C.C.	*2,869	*2,864	*2,651	*2,790	*1,577	*1,539	*1,587	*2,029	*755
*This calculation is based on a maximum loaded coach scenario as described in the C.C.C. Your a fewer occupants and a reduced carried quantity of fresh water.	actua	l carr	ying	сара	city v	vill in	creas	se wit	ťh
G.C.W.R. (Gross Combination Weight Ratio). Maximum allowable combined weight of "loaded" motorhome and either "loaded tow vehicle or trailer. NOTE: These specifications exceed our coach standard equipped trailer hitch rating. DUE TO CHANGES BY VENDORS COMPONENTS MAY VARY.	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000
THE THE BANGES BY VENDORS COMPONENTS MAY VARY									

PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE AT ANYTIME WITHOUT PRIOR NOTIFICATION.