VISIT OUR WEB SITE AT: WWW.LAZYDAZE.COM E-MAIL: <u>NEWSALES@LAZYDAZE.COM</u> New Sales Information or Inquires Only Please

## 2012 LAZY DAZE FACTORY DIRECT MOTORHOME PRICE LIST

SOLD & DELIVERED FACTORY DIRECT ONLY – NO DEALERS 11-11

ALL MODELS LISTED BELOW ARE BUILT ON A 2012 E-450 CHASSIS	*YOUR FACTORY DIRECT WHOLESALE PRICE	MSRP  MANUFACTURERS SUGGESTED  RETAIL PRICE
ALL 24' FLOOR PLANS	\$80,250.00	\$100,250.00
• ALL 27' FLOOR PLANS	\$86,750.00	\$106,750.00
• ALL 31' FLOOR PLANS	\$95,500.00	\$115,500.00

<sup>\*</sup>Pricing does not include custom options, required fees, tax and license, when applicable.

## 2012 FEATURES AND SPECIFICATIONS

ZUIZ I LATUNES AND SELGITIC					I	ı	I	1 1
S = Standard Equipment O = Optional Equipment = Not Available	KING BED	T DINETTE	FRONT LOUNGE	REAR KITCHEN	АТН	ВАТН	D BED	BED
CHASSIS FEATURES	24' TWIN-KING	24' FRONT	24 FRON	27' REAR	27' MID BATH	27' REAR	31' ISLAND BED	31' TWIN BED
Ford E-450 super duty chassis with 158" wheel base and 4.56 ratio wider rear axle.	S	S	S					
Ford E-450 super duty chassis with 176" wheel base and 4.56 ratio wider rear axle.				S	S	S		
Ford E-450 super duty chassis with 211" wheel base and 4.56 ratio wider rear axle.							S	S
Fuel injected 5.4L V-8 engine with 255 HP/350 ft-lbs. Torque @ 2500 RPM.	S	S	S					
Fuel injected 6.8L V-10 engine with 305 HP/420 ft-lbs. Torque @ 3250 RPM.	0	0	0	S	S	S	S	S
5-Spd. TorqShift automatic transmission with Tow/Haul feature.	S	S	S	S	S	S	S	S
4 wheel disc brakes with 13.58" brake rotors and ABS (anti-lock braking system).	S	S	S	S	S	S	S	S
Steel belted radial tires with stainless steel wheel covers and full sized spare tire.	S	S	S	S	S	S	S	S
Single 55 gallon gasoline tank.	S	S	S	S	S	S	S	S
Super heavy-duty 155 amp alternator.	S	S	S	S	S	S	S	S
Lazy Daze designed integrated running boards and front fender flares.	S	S	S	S	S	S	S	S
Low profile cab mirrors with deluxe chrome heads, large glass viewing area and separate adjustable large convex mirror. Mirrors can be folded forward or backward.	S	S	S	S	S	S	S	S
Tow package with 2" receiver hitch and 4 pole trailer plug.	S	S	S	S	S	S	S	S
Door panels with large two tiered storage bins.	S	S	S	S	S	S	S	S
Tachometer, all gauges, intermittent windshield wipers, tilt steering wheel and cruise control.	S	S	S	S	S	S	S	S
Digital message center with A/B trip odometer, miles to empty, average fuel economy, fuel economy bar graph and systems check.	S	s	s	s	S	s	s	S
Passenger side glove box with owner's manual storage holder and 12 volt power point outlet.	S	S	S	S	S	S	S	S
Power operated tinted windows with driver side express auto down feature.	S	S	S	S	S	S	S	S
Power door locks.	S	S	S	S	S	S	S	S
Remote keyless entry with panic button.	S	S	S	S	S	S	S	S
High output factory installed dash air conditioning (Not after market).	S	S	S	S	S	S	S	S
Factory high back driver and passenger reclining brown fabric seats.	S	S	S	S	S	S	S	S
Six way power driver's seat with manual lumbar adjustment.	S	S	S	S	S	S	S	S
Dual air bags.	S	S	S	S	S	S	S	S
Engine console with storage compartments and cup holders.	S	S	S	S	S	S	S	S
Insulated and carpeted cab floor for reduced heat and noise.	S	S	S	S	S	S	S	S
In-dash radio with digital jack, single C.D. (MP3) and infrared multi-function remote control.	S	S	S	S	S	S	S	S
Factory high back reclining cab seats upholstered in Tan Ultra Leather with embroidered LD logo.	0	0	0	0	0	0	0	0
Bilstein high performance gas shock absorbers. Not needed or recommended with 24' models.				0	0	0	0	0

CHASSIS FEATURES (Continued)	24' TWIN-KING BED	24' FRONT DINETTE	24' FRONT LOUNGE	27' REAR KITCHEN	27' MID BATH	27' REAR BATH	31' ISLAND BED	31' TWIN BED
Heated/Power cab mirrors with interior electric controls and red LED turn signal indicator arrows built into the main mirror glass.	0	0	0	0	0	0	0	0
Hardwood dashboard and console overlay trim.	0	0	0	0	0	0	0	0
Pioneer in-dash navigation system with am/fm/single C.D, iPod & Bluetooth interface.	0	0	0	0	0	0	0	0
XM or Sirius satellite radio package integrated with standard in dash radio/CD.	0	0	0	0	0	0	0	0
Remote mounted 40 channel C.B. with weather channels and roof mounted antenna.	0	0	0	0	0	0	0	0
INTERIOR COACH FEATURES								
Molded kitchen counter top with raised edges and attractive granite finish.	S	S	S	S	S	S	S	S
Matching molded kitchen counter top flip-up drop leaf extension.		-	-		S	S	S	S
Pull out kitchen counter top extension on ball bearing track.	S	S	S	S	S	S	S	S
Easy maintenance acrylic double kitchen sink with durable white plastic sink cover/cutting board.  Single handle brushed nickel kitchen faucet with pull out spout and adjustable spray.	S	S	S	S	S	S	S	S
Built in pantry with adjustable shelves.	3	3	3	S	S	S	S	S
High quality tile pattern linoleum flooring in kitchen areas.	S	S	S	S	S	S	S	S
High output microwave with touch pad controls, turntable, and easy access height.	S	S	S	S	S	S	S	S
Power exhaust range hood that contains a full systems monitor panel read out for sewage tank, gray tank, fresh water tank, LP gas tank, house batteries condition, as well as the water pump switch, water heater switch, generator start/stop switch and hour meter.	S	S	S	s	S	S	S	S
Three-burner range with piezo direct ignition igniter, high output burner, bi-fold stove cover and an oven.	S	s	s	s	s	s	s	s
Electronic ignition water heater with convenient "in operation" indicator light located on the systems monitor panel.	s	s	S	s	s	s	S	S
20,000 BTU wall furnace with electronic ignition, low amp draw motor and heat ducts.	S	S	S	S	S	S		
30,000 BTU wall furnace with electronic ignition and multiple heat ducts.							S	S
Dometic 6' two-door refrigerator with adjustable thermostat and automatic switch over gas/electric	S	S	S	S	S	S		
operation.  Dometic 8' two-door refrigerator with adjustable thermostat and automatic switch over gas/electric							S	S
operation.  Shower, bath area includes: High quality tile pattern linoleum flooring, large mirror, medicine	S	S	S	S	S	S	S	S
cabinet, isolated dressing room, one piece molded shower stall and hand wash basin.  Insulated double dome sky light in shower for increased head room and added natural light.				S	S		S	S
Single handle wash basin faucet.		S	S	S	S	S	S	S
Residential size porcelain toilet with convenient basin hand spray rinse attachment.	S	S	S	S	S	S	S	S
12V variable speed, exhaust Fan-Tastic ceiling fan in bath area.	S	S	S	S	S	S	S	S
12V variable speed, reverse direction Fan-Tastic ceiling fan with thermostat control in lounge.	S	S	S	S	S	S	S	S
12V variable speed, reverse direction Fan-Tastic ceiling fan with thermostat control in bedroom.							S	S
12V variable speed, reverse direction Fan-Tastic ceiling fan with thermostat control in cab-over.	S	S	S	S	S	S		
Insulating double dome roof vent lids.	S	S	S	S	S	S	S	S
SHURflo Revolution water pump.	S	S	S	S	S	S	S	S
Super energy efficient LED light fixtures throughout main coach interior.	S	S	S	S	S	S	S	S
LED aisle night light with convenient wall mounted on/off switch.	S	S	S	S	S	S	S	S
45 amp electronic solid state converter with high output house battery charger.	S	S	S	S	S	S	S	S
Radio controlled automatic time set digital clock with day, date, interior & exterior temperature.  Styled solid wood drawer fronts with drawers mounted on steel ball bearing guides.	S	S	S	S	S	S	S	S
Real wood interior cabinetry. Not pressed wood.	S	S	S	S	S	S	S	S
Pleated "black out" night shades with upholstered valance surround.	S	S	S	S	S	S	S	S
Sofa cushions and permanent mattress beds constructed with multi-density, quality foam. Sofa cushions can be inverted for a firmer sleeping surface.	S	S	s	s	s	s	S	S
Cab-over mattress folds over and out of the way for easy access to the front cab seats. A ladder is included for easy access to the cab-over bed.	S	S	S	s	S	S		

INTERIOR COACH FEATURES (Continued)  Dometic Diorherm Ase Systems TM	24' TWIN-KING BED	24' FRONT DINETTE	24' FRONT LOUNGE	27' REAR KITCHEN	27' MID BATH	27' REAR BATH	31' ISLAND BED	31' TWIN BED
High density low profile carpet with padding in non-kitchen/bath living areas.	S	S	S	S	S	S	S	S
12V 24"HD energy efficient LED flat screen TV mounted on a swivel arm, with built in component shelving.	S	S	S	S	S	S		
12V 24"HD energy efficient LED flat screen TV installed in bedroom area.							S	S
Entertainment center built in to the cab-over area above the passenger/driver seats. Includes: large inside storage compartments and a 12V 32"HD energy efficient LED flat screen TV.		0	0	0		0	S	S
Bose® 3•2•1 <sup>TM</sup> GS Series III DVD Home Entertainment System (only with entertainment center).		0	0	0		0	0	0
Single pedestal game table that stores in wardrobe. Table size 21" X 36".				0	0	0		
12 volt auxiliary outlet in coach.	S	S	S	s	S	S	S	S
Electronic digital read out wall thermostat that automatically controls the roof air and heat pump.	S	S	S	S	S	S	S	S
15,000 BTU low profile refrigerated roof air.	S	S	S	S	S	S	S	S
Integrated heat pump heater within roof air conditioner.	S	S	S	S	S	S	S	S
Additional safety features include: Smoke alarm, propane gas detector, carbon monoxide alarm, fire extinguisher, emergency exits and flame retardant interiors.	S	S	S	S	s	S	S	S
INTERIOR/EXTERIOR COLORS  Choice of interior cabinet finish in either maple or cherry.	S	S	S	S	S	S	S	S
Choice of interior color schemes in green/tan, brown/charcoal, gray/tan, brown/tan, blue/tan and rust/almond.	S	S	S	S	S	S	S	S
Choice of exterior accent colors in two-tone green, silver, brown, blue, or red.	S	S	S	S	S	S	S	S
Choice of exterior paint scheme in new modern or original classic design.	S	S	S	S	S	S	S	S
EXTERIOR COACH FEATURES  Smooth exterior polyurethane laminated aircraft aluminum coach body panels that are durable, lighter weight and replaceable. Aluminum is non-flammable, unlike fiberglass, and offers superior appearance, and outstanding endurance. A Lazy Daze exclusive.	S	S	S	S	S	S	S	S
One piece painted aluminum roof that is U.V. resistant unlike rubber or non-painted fiberglass.	S	S	S	S	S	S	S	S
Coach exterior is painted (Full body paint) with durable, easy to maintain polyurethane paint. It is not prone to yellowing or chalking as is unpainted fiberglass, which is commonly used in the industry.	S	s	s	S	S	S	S	s
Super streamlined one-piece molded nose cone designed to slice through the wind for improved aerodynamics and reduced wind noise.	S	s	s	s	S	S	S	S
Unitized cab to cab-over (no gap) for reduced wind resistance.	S	S	S	S	S	S	S	S
Exterior streamline radius corners (not square) for reduced wind resistance.	S	S	S	S	S	S	S	S
Low profile silhouette for improved handling and fuel economy.	S	S	S	S	S	S	S	S
Hinged rear skirts with smoother appearance. These skirts partially cover the rear dual wheels for improved aerodynamics while allowing easy access to the tires.	S	S	S	S	S	S	S	S
Maintenance free, premium quality, 22 LED tail lights, 16 LED back up lights and LED license plate light.	S	S	S	s	S	S	S	S
Attractive molded spare tire cover that is integrated into the rear coach wall. NOTE: The spare tire is not stored behind this cover on all models.	S	S	S	s	S	S	S	S
1½" block polystyrene foam used as primary insulation in coach body floor, sidewalls and roof.	S	S	S	S	S	S	S	S
30 foot 30 amp exterior power cord that detaches from motorhome body for added convenience.	S	S	S	S	S	S	S	S
Onan 4KW Microquiet gasoline generator.	S	S	S	S	S	S	S	S

EXTERIOR COACH FEATURES	24' TWIN-KING BED	FRONT DINETTE	FRONT LOUNGE	REAR KITCHEN	MID BATH	REAR BATH	31' ISLAND BED	TWIN BED
(Continued)	24' TV	24' FR	24' FR	27' RE	27' MI	27' RE	31' ISI	31, TV
Quality coach entry door with radius top corners, dead bolt, automotive style latch system, screen door, thermal pane window and roller shade.	S	S	S	S	S	S	S	S
Energy efficient interior LED entry step light and exterior LED porch light.	S	S	S	S	S	S	S	S
Large thermal pane (approx. ¼ inch space between panes) windows surrounding the coach that are tinted, anti-glare safety glass and offer privacy during the day.	S	S	S	S	S	S	S	S
Galvanized steel underbelly pan and heavy gauge galvanized steel rear wheel wells.	S	S	S	S	S	S	S	S
Large radius door outside lockable compartments for: Folding chairs, B.B.Q., leveling blocks, etc. The 31' models can accommodate skis within the 8' long rear exterior accessible compartment.	S	S	S	S	S	S	S	S
Exterior city water hook-up. Includes a separate brass pressure regulator.	S	S	S	S	S	S	S	S
Convenient separate storage compartment for supplied 15' sewage hose.	S	S	S	S	S	S	S	S
Exterior rear mounted roof ladder.	S	S	S	S	S	S	S	S
Sleek aerodynamic awning. Fabric and legs are stored within an aluminum housing, when closed, for maximum longevity. One person from the ground can easily operate awning.	S	S	S	S	S	S	S	S
Separate corrosion resistant molded black plastic exterior coach battery compartment.	S	S	S	S	S	S	S	S
Top of the line LIFELINE brand maintenance free advanced AGM house batteries. Two heavy duty 6 volt batteries wired in series to produce 12 volts and yield 220 ampere hours.	S	S	S	S	S	S	S	S
Amplified Winegard roof mounted crank-up TV antenna with booster and outside cable hook-up.	S	S	S	S	S	S	S	S
100 watt solar panel and current boosting charge controller with digital read out display.	S	S	S	S	S	S	S	S
Manual crank up digital satellite antenna with digital read-out elevation finder.	0	0	0	0	0	0	0	0
Automatic in-motion enclosed semi-low profile dome digital satellite antenna.	0	0	0	0	0	0	0	0
Electric coach entry step.	0	0	0	0	0	0	S	S
Back up camera with 5.6" LCD cab mounted color monitor with built in one way speaker system.	0	0	0	0	0	0	0	0
Outside shower with insulated door.	0	0	0	0	0	0	S	S
Polyurethane foam insulation on holding tanks.	0	0	0	0	0	0	0	0
Sealed 12V house battery disconnect switch.	0	0	0	0	0	0	0	0
COACH SPECIFICATIONS								
LIQUIDS CAPACITIES (U.S. GALLONS)								
Approximate total fresh water.	50	60	60	60	58	60	60	60
Approximate gray water storage.	32	32	32	35	35	35	35	35
Approximate sewage storage.	28	28	28	30	28	24	30	30
Water heater.	6	6	6	6	6	6	6	6
Propane tank (maximum fill capacity).	14	14	14	14	14	14	14	14
COACH DIMENSIONS								
Approximate exterior unladen coach height from ground to top of roof air.	10'3"	10'3"	10'3"	10,1	10,1"	10,1"	10'2"	10'2"
Exterior main coach body width (add an additional 9" per side for the fold-in cab mirrors).	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"
Bumper to bumper coach length. Add approx. 2" for the rear exterior spare tire cover and an additional 2" for the rear roof rack ladder.	23'11"	23'11"	23'11"	,22	27'	27'	31,1,,	31'1"
Interior height from floor to ceiling (excluding carpet).	6,7,,	2.9	6,7,,	2.9			6.7	
Cab-over mattress dimensions. Measurement in inches.	57X80	57X80	57X80	57X80	57X80	57X80		

COACH DIMENSIONS (Continued)	24' TWIN-KING BED	24' FRONT DINETTE	24' FRONT LOUNGE	27' REAR KITCHEN	27' MID BATH	27' REAR BATH	31' ISLAND BED	31' TWIN BED
All Dinettes can furnish an eating area for up to 4. The following dinettes can also make into a compact bed. Measurement in inches.		27.7X70.7		39X67.5	39X67	39X72.5		
Individual twin bed sizes for models when equipped with twin sofas. The twin sofas can be brought completely together, to create an oversize king bed. D = Drivers side. P= Passenger side. Measurement in inches.	D36X 71 P32X 74			D34X 76 P32X 72	D32 X 71 P36X 76	D34 X 76 P32 X 72		
Sofa double bed sizes. Measurement in inches.		50X73.5	50X73.5	50X76	50X76	50X76	50X76	50X76
Permanent bed size. Measurement in inches.							57X78	D35 X 76 P35 X 74.5
Approximate shower stall dimensions. Measurement in inches.  NOTE: Some showers are not completely rectangular.	24.5D X 36W 78.5 High	27D X 33W 76 High	27D X 33W 76 High	25D X 32W 78.5 High	25D X 32W 78.5 High	27D X 33W 76 High	22.5D X 37.5W 78.5 High	22.5D X 37.5W 78.5 High
Total average wardrobe hanging space width. Measurement in inches.	301/2	33	33	45	38	40	44	46
COACH MISCELLANEOUS SPECIFICATIONS								
Total number of coach windows. (Does not include chassis cab windows.) NOTE: The two side cab-over windows are deleted when the entertainment center is installed.	9	8	8	9	9	9	9	9
Total number drawers.	7	6	6	8	7	7	11	11
Number of 120V duplex receptacles (including exterior).  Total outside storage compartments. Delete one compartment on the 27' Rear Kitchen. 27' Mid-Bath and 27' Rear Bath when equipped with barrel chairs.	5	2	5 2	5	6	5	7	7
COACH WEIGHTS WITH STANDARD EQUIPMENT								
G.V.W.R (Gross Vehicle Weight Rating). Maximum designed motorhome weight when "Fully Loaded". NOTE: 24' Models equipped with optional V-10 engine are 14,500.	14,050	14,050	14,050	14,500	14,500	14,500	14,500	14,500
U.V.W. – (Unloaded Vehicle Weight). The weight of the motorhome as built at the factory with full fuel, oil, coolant and LP-Gas.	10,753	10,802	10,820	11,579	11,539	11,438	12,598	12,620
W.W.V. – (Wet Weight of Vehicle). No Passengers or supplies. Gas tank, fresh water tank, and LP-Gas tank all full.	11,168	11,302	11,317	12,077	12,020	11,937	13,096	13,119
O.C.C.C. – (Occupant and Cargo Carrying Capacity). Allowable weight available for occupants, fresh water, food, personal items, supplies etc. NOTE: Installed accessories and towed vehicle tongue weight will reduce O.C.C.C.	*3,297	*3,248	*3,230	*2,921	*2,961	*3,062	*1,902	*1,880
G.C.W.R (Gross Combination Weight Rating). Maximum allowable combined weight of "loaded" motorhome and either "loaded tow vehicle or trailer". NOTE: The standard equipped 2" receiver hitch rating is 4,000 pounds.  DUE TO CHANGES BY VENDORS BEYOND OUR CONTROL COMPONENTS MAY VARY. PRICES AND SPECIFICATIONS ARE SUBJECT TO C	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000

DUE TO CHANGES BY VENDORS BEYOND OUR CONTROL COMPONENTS MAY VARY. PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE AT ANYTIME WITHOUT PRIOR NOTIFICATION SOME WEIGHTS SHOWN ARE ESTIMATED. ACTUAL INDIVIDUAL COACH WEIGHTS MAY VARY.