

2015 LAZY DAZE FACTORY DIRECT MOTORHOME PRICE LIST

SOLD & DELIVERED FACTORY DIRECT ONLY – NO DEALERS 01-14

| ALL MODELS LISTED BELOW ARE BUILT ON A 2015 FORD E-450 CHASSIS | *YOUR FACTORY DIRECT WHOLESALE PRICE | DEPOSIT TO PURCHASE |
|---|---|------------------------|
| • ALL 24' FLOOR PLANS | \$85,750.00 | \$3,500.00 |
| • ALL 27' FLOOR PLANS | \$92,250.00 | \$4,000.00 |
| • ALL 31' FLOOR PLANS | \$101,000.00 | \$4,500.00 |

*Pricing does not include custom options, required fees, tax and license, when applicable.

2015 FEATURES AND SPECIFICATIONS

- S = Standard Equipment
 O = Optional Equipment
 = Not Available

CHASSIS FEATURES

| | 24' TWIN-KING BED | 24' FRONT DINETTE | 27' REAR KITCHEN | 27' MID BATH | 27' REAR BATH | 31' ISLAND BED | 31' TWIN BED |
|--|-------------------|-------------------|------------------|--------------|---------------|----------------|--------------|
| Ford E-450 super duty chassis with 158" wheel base and 4.56 ratio wider rear axle. | S | S | | | | | |
| Ford E-450 super duty chassis with 176" wheel base and 4.56 ratio wider rear axle. | | | S | S | S | | |
| Ford E-450 super duty chassis with 211" wheel base and 4.56 ratio wider rear axle. | | | | | | S | S |
| Fuel injected 5.4L V-8 engine with 255 HP/350 ft-lbs. Torque @ 2500 RPM. | S | S | | | | | |
| Fuel injected 6.8L V-10 engine with 305 HP/420 ft-lbs. Torque @ 3250 RPM. | O | O | S | S | S | S | S |
| 5-Spd. TorqShift automatic transmission with Tow/Haul feature. | S | S | S | S | S | S | S |
| 4 wheel disc brakes with 13.58" brake rotors and ABS (anti-lock braking system). | S | S | S | S | S | S | S |
| Steel belted radial tires with stainless steel wheel covers and full sized spare tire. | S | S | S | S | S | S | S |
| Single 55 gallon gasoline tank. | S | S | S | S | S | S | S |
| Super heavy-duty 155 amp alternator. | S | S | S | S | S | S | S |
| Lazy Daze designed integrated running boards and front fender flares. | S | S | S | S | S | S | S |
| Low profile cab mirrors with deluxe chrome heads, large glass viewing area and separate adjustable large convex mirror. Mirrors can be folded forward or backward. | S | S | S | S | S | S | S |
| Tow package with 2" receiver hitch and 4 pole trailer plug. | S | S | S | S | S | S | S |
| Door panels with large two tiered storage bins. | S | S | S | S | S | S | S |
| Tachometer, all gauges, intermittent windshield wipers, tilt steering wheel and cruise control. | S | S | S | S | S | S | S |
| Digital message center with A/B trip odometer, miles to empty, average fuel economy, fuel economy bar graph and systems check. | S | S | S | S | S | S | S |
| Passenger side glove box with owner's manual storage holder and 12 volt power point outlet. | S | S | S | S | S | S | S |
| Power operated tinted windows with driver side express auto down feature. | S | S | S | S | S | S | S |
| Power door locks. | S | S | S | S | S | S | S |
| Remote keyless entry with panic button. | S | S | S | S | S | S | S |
| High output factory installed dash air conditioning (Not after market). | S | S | S | S | S | S | S |
| Factory high back driver and passenger reclining brown fabric seats. | S | S | S | S | S | S | S |
| Six way power driver's seat with manual lumbar adjustment. | S | S | S | S | S | S | S |
| Dual air bags. | S | S | S | S | S | S | S |
| Engine console with storage compartments and cup holders. | S | S | S | S | S | S | S |
| Insulated and carpeted cab floor for reduced heat and noise. | S | S | S | S | S | S | S |
| In-dash radio with auxiliary jack, USB port, single C.D. and infrared multi-function remote control. | S | S | S | S | S | S | S |
| Factory high back reclining cab seats upholstered in Tan Ultra Leather with embroidered LD logo. | O | O | O | O | O | O | O |
| Bilstein high performance gas shock absorbers. Not needed or recommended with 24' models. | | | O | O | O | O | O |

CHASSIS FEATURES

(Continued)

| | 24' TWIN-KING BED | 24' FRONT DINETTE | 27' REAR KITCHEN | 27' MID BATH | 27' REAR BATH | 31' ISLAND BED | 31' TWIN BED |
|---|-------------------|-------------------|------------------|--------------|---------------|----------------|--------------|
| Heated/Power cab mirrors with interior electric controls and red LED turn signal indicator arrows built into the main mirror glass. | O | O | O | O | O | O | O |
| Hardwood dashboard and console overlay trim. | O | O | O | O | O | O | O |
| Pioneer in-dash navigation system with am/fm/single C.D, iPod & Bluetooth interface. | O | O | O | O | O | O | O |
| XM or Sirius satellite radio package integrated with standard in dash radio/CD. | O | O | O | O | O | O | O |
| Remote mounted 40 channel C.B. with weather channels and roof mounted antenna. | O | O | O | O | O | O | O |

INTERIOR COACH FEATURES

| | | | | | | | |
|--|---|---|---|---|---|---|---|
| Molded kitchen counter top with raised edges and attractive granite finish. | S | S | S | S | S | S | S |
| Matching molded kitchen counter top flip-up drop leaf extension. | | | | S | S | S | S |
| Pull out kitchen counter top extension on ball bearing track. | S | S | | | | | |
| Easy maintenance acrylic double kitchen sink with durable white plastic sink cover/cutting board. | S | S | S | S | S | S | S |
| Residential single handle stainless "goose neck" style kitchen faucet with pull out spout, and adjustable spray. Faucet utilizes high quality ceramic disk cartridge for reduced maintenance. | S | S | S | S | S | S | S |
| Built in pantry with adjustable shelves. | | | S | S | S | S | S |
| High quality tile pattern linoleum flooring in kitchen areas. | S | S | S | S | S | S | S |
| High output microwave with touch pad controls, turntable, and easy access height. | S | S | S | S | S | S | S |
| Power range hood with light and larger exhaust fan blade for better performance. | S | S | S | S | S | S | S |
| Full systems monitor panel read out for sewage tank, gray tank, fresh water tank, LP gas tank, house batteries condition, as well as the water pump switch, water heater switch, generator start/stop switch and hour meter. | S | S | S | S | S | S | S |
| Three-burner range with piezo direct ignition igniter, high output burner, bi-fold stove cover and an oven. | S | S | S | S | S | S | S |
| Electronic ignition water heater with convenient "in operation" indicator light located on the systems monitor panel. | S | S | S | S | S | S | S |
| 20,000 BTU wall furnace with electronic ignition, low amp draw motor and heat ducts. | S | S | S | S | S | | |
| 30,000 BTU wall furnace with electronic ignition and multiple heat ducts. | | | | | | S | S |
| Dometic 6' two-door refrigerator with adjustable thermostat and automatic switch over gas/electric operation. | S | S | S | S | S | | |
| Dometic 8' two-door refrigerator with adjustable thermostat and automatic switch over gas/electric operation. | | | | | | S | S |
| Shower, bath area includes: High quality tile pattern linoleum flooring, large mirror, medicine cabinet, isolated dressing room, one piece molded shower stall and hand wash basin. | S | S | S | S | S | S | S |
| Insulated double dome sky light in shower for increased head room and added natural light. | | | S | S | | S | S |
| Water saving residential single handle "high rise" wash basin faucet with brushed nickel finish. Faucet utilizes high quality ceramic disk cartridge for reduced maintenance. | S | S | S | S | S | S | S |
| Residential size porcelain toilet with convenient basin hand spray rinse attachment. | S | S | S | S | S | S | S |
| 12V variable speed, exhaust Fan-Tastic ceiling fan in bath area. | S | S | S | S | S | S | S |
| 12V variable speed, reverse direction Fan-Tastic ceiling fan with thermostat control in lounge. | S | S | S | S | S | S | S |
| 12V variable speed, reverse direction Fan-Tastic ceiling fan with thermostat control in bedroom. | | | | | | S | S |
| 12V variable speed, reverse direction Fan-Tastic ceiling fan with thermostat control in cab-over. | S | S | S | S | S | | |
| Insulating double dome roof vent lids. | S | S | S | S | S | S | S |
| SHURflo Revolution water pump. | S | S | S | S | S | S | S |
| Super energy efficient LED light fixtures throughout main coach interior. | S | S | S | S | S | S | S |
| LED aisle night light with convenient wall mounted on/off switch. | S | S | S | S | S | S | S |
| 45 amp electronic solid state converter with high output house battery charger. | S | S | S | S | S | S | S |
| Radio controlled automatic time set digital clock with day, date, interior & exterior temperature. | S | S | S | S | S | S | S |
| Styled solid wood drawer fronts with drawers mounted on steel ball bearing guides. | S | S | S | S | S | S | S |
| Real wood interior cabinetry. Not pressed wood. | S | S | S | S | S | S | S |
| Advanced design slow-rise day/night roller shades with upholstered valance surround. Day shade provides increased sun protection while blackout night shade eliminates light entry. | S | S | S | S | S | S | S |

INTERIOR COACH FEATURES (Continued)



| | 24' TWIN-KING BED | 24' FRONT DINETTE | 27' REAR KITCHEN | 27' MID BATH | 27' REAR BATH | 31' ISLAND BED | 31' TWIN BED |
|---|-------------------|-------------------|------------------|--------------|---------------|----------------|--------------|
| Memory foam topped sofa and dinette cushions. | S | S | S | S | S | S | S |
| Memory foam topped fixed bed mattresses. | | | | | | S | S |
| Memory foam topped cab-over mattress folds over and out of the way for easy access to the front cab seats. A ladder is included for easy access to the cab-over bed. | S | S | S | S | S | | |
| High density low profile carpet with padding in non-kitchen/bath living areas. | S | S | S | S | S | S | S |
| 12V 24"HD energy efficient LED flat screen TV mounted on a swivel arm, with built in component shelving. | S | S | S | S | S | | |
| 12V 24"HD energy efficient LED flat screen TV installed in bedroom area. | | | | | | S | S |
| Entertainment center built in to the cab-over area above the passenger/driver seats. Includes: large inside storage compartments and a 12V 32"HD energy efficient LED flat screen TV. | | O | O | | O | S | S |
| Single pedestal game table that stores in wardrobe. Table size 21" X 36". | | | O | O | O | | |
| 12 volt auxiliary outlet in coach. | S | S | S | S | S | S | S |
| Electronic digital read out wall thermostat that automatically controls the roof air and heat pump. | S | S | S | S | S | S | S |
| 15,000 BTU low profile refrigerated roof air. | S | S | S | S | S | S | S |
| Integrated heat pump heater within roof air conditioner. | S | S | S | S | S | S | S |
| Additional safety features include: Smoke alarm, propane gas detector, carbon monoxide alarm, fire extinguisher, emergency exits and flame retardant interiors. | S | S | S | S | S | S | S |

INTERIOR/EXTERIOR COLORS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Choice of interior cabinet finish in either maple or cherry. | S | S | S | S | S | S | S |
| Choice of interior color schemes in green/tan, brown/charcoal, gray/tan, brown/tan, blue/tan and rust/almond. | S | S | S | S | S | S | S |
| Choice of exterior accent colors in two-tone green, silver, brown, blue, or red. | S | S | S | S | S | S | S |
| Choice of exterior paint scheme in modern or original classic design. | S | S | S | S | S | S | S |

EXTERIOR COACH FEATURES

| | | | | | | | |
|--|---|---|---|---|---|---|---|
| Smooth exterior polyurethane laminated aircraft aluminum coach body panels that are durable, lighter weight and replaceable. Aluminum is non-flammable, unlike fiberglass, and offers superior appearance, and outstanding endurance. A Lazy Daze exclusive. | S | S | S | S | S | S | S |
| One piece painted aluminum roof that is U.V. resistant unlike rubber or non-painted fiberglass. | S | S | S | S | S | S | S |
| Coach exterior is painted (Full body paint) with durable, easy to maintain polyurethane paint. It is not prone to yellowing or chalking as is unpainted fiberglass, which is commonly used in the industry. | S | S | S | S | S | S | S |
| Super streamlined one-piece molded nose cone designed to slice through the wind for improved aerodynamics and reduced wind noise. | S | S | S | S | S | S | S |
| Unitized cab to cab-over (no gap) for reduced wind resistance. | S | S | S | S | S | S | S |
| Exterior streamline radius corners (not square) for reduced wind resistance. | S | S | S | S | S | S | S |
| Low profile silhouette for improved handling and fuel economy. | S | S | S | S | S | S | S |
| Hinged rear skirts with smoother appearance. These skirts partially cover the rear dual wheels for improved aerodynamics while allowing easy access to the tires. | S | S | S | S | S | S | S |
| Maintenance free, premium quality, 22 LED tail lights, 16 LED back up lights and LED license plate light. | S | S | S | S | S | S | S |
| Attractive molded spare tire cover that is integrated into the rear coach wall. NOTE: The spare tire is not stored behind this cover on all models. | S | S | S | S | S | S | S |
| 1½" block polystyrene foam used as primary insulation in coach body floor, sidewalls and roof. | S | S | S | S | S | S | S |
| 30 foot 30 amp exterior power cord that detaches from motorhome body for added convenience. | S | S | S | S | S | S | S |

COACH DIMENSIONS (Continued)

| | 24' TWIN-KING BED | 24' FRONT DINETTE | 27' REAR KITCHEN | 27' MID BATH | 27' REAR BATH | 31' ISLAND BED | 31' TWIN BED |
|--|--------------------------|----------------------|------------------------|------------------------|----------------------|----------------------------|----------------------------|
| All Dinettes can furnish an eating area for up to 4. The following dinettes can also make into a compact bed. Measurement in inches. | | 27.7X70.7 | 39X67.5 | 39X67 | 39X72.5 | | |
| Individual twin bed sizes for models when equipped with twin sofas. The twin sofas can be brought completely together, to create an oversize king bed. D = Drivers side. P= Passenger side. Measurement in inches. | D36X 71 P32X 74 | | D34X 76 P32X 72 | D32 X 71 P36X 76 | D34 X 76 P32 X 72 | | |
| Sofa double bed sizes. Measurement in inches. | | 50X73.5 | 50X76 | 50X76 | 50X76 | 50X76 | 50X76 |
| Permanent bed size. Measurement in inches. | | | | | | 57X78 | D35 X 76 P35 X 74.5 |
| Approximate shower stall dimensions. Measurement in inches. NOTE: Some showers are not completely rectangular. | 24.5D X 36W 78.5 High | 27D X 33W 76 High | 25D X 32W 78.5 High | 25D X 32W 78.5 High | 27D X 33W 76 High | 22.5D X 37.5W 78.5 High | 22.5D X 37.5W 78.5 High |
| Total average wardrobe hanging space width. Measurement in inches. | 30½ | 33 | 45 | 38 | 40 | 44 | 46 |

COACH MISCELLANEOUS SPECIFICATIONS

| | | | | | | | |
|--|---|---|---|---|---|----|----|
| Total number of coach windows. (Does not include chassis cab windows.) NOTE: The two side cab-over windows are deleted when the entertainment center is installed. | 9 | 8 | 9 | 9 | 9 | 9 | 9 |
| Total number drawers. | 7 | 6 | 8 | 7 | 7 | 11 | 11 |
| Number of 120V duplex receptacles (including exterior). | 5 | 5 | 5 | 7 | 5 | 6 | 6 |
| Total outside storage compartments. Delete one compartment on the 27' Rear Kitchen, 27' Mid-Bath and 27' Rear Bath when equipped with barrel chairs. | 4 | 2 | 5 | 6 | 5 | 7 | 7 |

COACH WEIGHTS WITH STANDARD EQUIPMENT

| | | | | | | | |
|--|--------|--------|--------|--------|--------|--------|--------|
| G.V.W.R. - (Gross Vehicle Weight Rating). Maximum designed motorhome weight when "Fully Loaded". NOTE: 24' Models equipped with optional V-10 engine are 14,500. | 14,050 | 14,050 | 14,500 | 14,500 | 14,500 | 14,500 | 14,500 |
| U.V.W. – (Unloaded Vehicle Weight). The weight of the motorhome as built at the factory with full fuel, oil, coolant and LP-Gas. | 10,851 | 10,880 | 11,632 | 11,664 | 11,557 | 12,664 | 12,686 |
| W.W.V. – (Wet Weight of Vehicle). No Passengers or supplies. Gas tank, fresh water tank, and LP-Gas tank all full. | 11,266 | 11,378 | 12,130 | 12,145 | 12,055 | 13,162 | 13,184 |
| O.C.C.C. – (Occupant and Cargo Carrying Capacity). Allowable weight available for occupants, fresh water, food, personal items, supplies etc. NOTE: Installed accessories and towed vehicle tongue weight will reduce O.C.C.C. | *3,199 | *3,170 | *2,868 | *2,836 | *2,943 | *1,836 | *1,814 |
| G.C.W.R. - (Gross Combination Weight Rating). Maximum allowable combined weight of "loaded" motorhome and either "loaded tow vehicle or trailer". NOTE: The standard equipped 2" receiver hitch rating is 4,000 pounds. | 20,000 | 20,000 | 20,000 | 20,000 | 20,000 | 20,000 | 20,000 |

DUE TO CHANGES BY VENDORS BEYOND OUR CONTROL COMPONENTS MAY VARY. PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE AT ANYTIME WITHOUT PRIOR NOTIFICATION. SOME WEIGHTS SHOWN ARE ESTIMATED. ACTUAL INDIVIDUAL COACH WEIGHTS MAY VARY.